

Product Information Sheet

E557Q - Entry Level Large Format Display





Enter the world of professional signage

You can now enjoy all the benefits of an NEC display while keeping your price-conscious approach to spending. The E Series is the perfect introduction to the world of professional digital signage. Bring NEC's renowned performance and dependable quality into your meeting room or retail space and see just how seamlessly it will meet your digital signage needs.

The E Series impressively displays your retail content and is easy enough to use in daily meetings. You'll enjoy the Media Player's native UHD content playback – which can be used automatically via the integrated playback tool. The 10W powered USB interface that lets you power external devices like the Raspberry Pi to upgrade the computing power of the display. For instant meeting start-ups, the display comes equipped with auto wake-up, which wakes up the screen once a notebook is connected. The NaViSet Administrator 2 is engineered to provide remote support, supporting E Series displays from 7th generation onwards.

Benefits

Reduced Installation and Operating Costs – highly energy efficient LED backlit display ensures low power consumption, longer backlight lifetime and lighter design for easy transportation, mounting and integration.

Slim Design and Integrated Speakers - the aesthetic design is pleasing to the eye and enables easy, low cost installation.

Effortless content playback – the integrated USB media player supports various image video file formats for effortless and standalone content playback.

Future Ready Connectivity – featuring multiple industry standard digital and analogue signal inputs for flexible integration into AV infrastructures.

Professional integration – enriched with essential RS232 functionality, IR and button lock out as well as digital audio output S/PDIF, the display can easily be integrated into professional applications in public environments.

NEC

Standalone operation – the display is designed for straightforward standalone operation due to integrated USB media player, speakers and scheduling functionality.

Product Information				
Product Name	E557Q			
Product Group	LCD 55" Entry Level Large Format Display			
Order Code	E557Q			
Display				
Panel Technology	VA with Direct LED	backlights		
Active Screen Area (W x H) [mm]	1,210 x 680			
Screen Size [inch/cm]	54.6 / 139			
Aspect Ratio	16:9			
Pixel Pitch [mm]	0.315			
Brightness [cd/m²]	350			
Contrast Ratio (typ.)	4000:1			
Viewing Angle [°]	178 horizontal / 17	8 vertical (typ. at contra	ast ratio 20:1)	
Response Time (typ.) [ms]	8			
Panel Refresh Rate [Hz]	60			
Haze Level [%]	Standard (2)			
Supported Orientation	Landscape			
Synchronisation Rate				
Horizontal Frequency [kHz]	15 - 134			
Vertical Frequency [Hz]	23 - 70			
Resolution				
Native Resolution	3840 x 2160			
Supported Resolutions	3840 x 2160;	1280 x 1024;	1280 x 720;	800 x 600;
	1920 x 1080;	1280 x 800;	1024 x 768;	640 x 480
Supported on HDMI only	1080p (60 Hz); 1080p (30 Hz);	1080p (0 Hz); 1080i (50 Hz);	720p (60 Hz); 720p (50 Hz);	576i (50 Hz); 480p (60 Hz);
	1080p (30 Hz); 1080p (24 Hz);	1080i (50 Hz); 1080i (60 Hz);	576p (50 Hz);	480j (60 Hz); 480j (60 Hz)
			·	
Connectivity				
Input Video Analogue	1 x VGA; Compone	nt (RCA); Composite (RC	CA)	
Input Video Digital	3 x HDMI			
Input Audio Analogue	1 x 3.5 mm jack			
Input Audio Digital	3 x HDMI			
Input Control	LAN 100Mbit; RS23	2		
Output Audio Analogue	1 x 3.5 mm jack			
Output Audio Digital	1 x SPDIF			
Remote Control	Remote Control IR;	RS-232C (9-pin D-sub)	Input	



Ambient Light Sensor

Sensors

Electrical		
Power Consumption [W]	110 shipping	
Power Savings Mode [W]	< 0.5 (ECO Standby)	

Integrated, triggered actions programmable

Environmental Conditions

Operating Temperature [°C]	+0 to +40
Operating Humidity [%]	10 to 80
Storage Humidity [%]	5 to 85
Storage Temperature [°C]	-10 to +60

Mechanical

Dimensions (W x H x D) [mm]	Without stand: 1,239 x 712 x 79
Weight [kg]	Without stand: 15
Bezel Width [mm]	12.9 (left, right and top); 14.7 (bottom)
VESA Mounting [mm]	4 holes; 400 x 200 (FDMI); M6

MediaPlayer

Supported Image Formats	JPG (baseline, progressive, RGB, CMYK); max. resolution 15360 x 8640
Supported Audio Formats	MP3 (MP3); max. bit-rate 320 kBit/s
Supported File Storage / File System	USB 2.0 / FAT16, FAT32
Supported Video Container Formats	MPG, MPEG, MPEG2-TS, MPEG2-PS, MP4, MKV, AVI, Motion JPEG
Supported Video Codecs	MPEG1 , MPEG2, H.263, H.264, H.265, WMV
Supported Audio Codecs (Video)	LPCM, MP3, AC-3, AAC, WMA Standard, WMA 9 Professional

Available Options

	F+ (CT 42F)
Accessories	Feet (SI-43E)

Green Features

Energy Efficiency	Annual energy consumption: 151 kWh (based on 4 operating hours per day); ECOMode; Energy efficiency class: A; LED backlight; Low power consumption
Ecological Standards	EnergyStar (TBD).(TBD)



E5570 | 4 NEC Australia | nec.com.au

Additional Features

Special Characteristics	Ambient Light Sensor; Audio settings with equalizer; CEC Support; Colour temperature mode; Crestron RoomView Support; Display Browser Control; Energy saving picture mode; HDMI with UHD at 60 Hz; HDR Gamma Support (HLG, PQ); Mac and Windows compatible; NaViSet Administrator 2; Powered USB-Port; Retail picture mode; Scheduler; SNMP Support; USB Media Player
Colour Versions	Black Front Bezel, Black Back Cabinet
Safety and Ergonomics	EMC Class B; FCC; PSB; RCM; TÜV S; UL/C-UL; VCCI
Audio	Integrated Speakers (10 W + 10 W)
Shipping Content	Display; HDMI Cable; Power Cable; Remote Control
Warranty	3 years warranty incl. backlight
Operating Hours	16/7





VCCI

For more information:





contactus@nec.com.au



131 632

Corporate Headquarters (Japan) NEC Corporation www.nec.com

Australia NEC Australia Pty Ltd www.nec.com.aú

North America (USA) NEC Corporation of America www.necam.com

Asia Pacific (AP) NEC Asia Pacific www.sg.nec.com

Europe (EMEA) NEC Enterprise Solutions www.nec-enterprise.com

v.20.03.19 | E557Q

NEC Australia Pty Ltd reserves the right to change product specifications, functions, or features, at any time, without notice. Please refer to your local NEC representatives for further details. Although all efforts have been made to ensure that the contents are correct, NEC shall not be liable for any direct, indirect, consequential or incidental damages resulting from the use of the equipment, manual or any related materials. The information contained herein is the property of NEC Australia. Pty Ltd and shall not be reproduced without prior written approval from NEC Australia Pty Ltd.

