

Wireless handsets for teams on the go

DECT IP Handsets

On-site wireless communications

Today's business environment demands flexible ways of working and excellent customer service. Organisations seek to extend the reach of their converged voice and data network and integrate wireless communications without compromising on voice quality, availability and security. NEC's Business Mobility IP DECT realises all of this, and much more.



High quality audio experience

DECT compliance ensures high quality audio and security with seamless mobility.



Directories

Unified communications features including central directory access.



All the power, all the time

Dual chargers, rack chargers and the ability to charge additional batteries.



000

Flexibility with Bluetooth

Wired and Bluetooth* headset support.



Keep your staff safe

SOS, Man down, messaging and location services for staff security.*



Easy to use and intuitive phones make staying in contact easy.





* Only available on selected models







NEC DECT IP Wireless Handset Range Model G277 G577 G577H 1766 **General Specifications** Colour Black Black White Silver / Black Dimensions 128 x 49 x 21 mm 128 x 49 x 21 mm 145 x 55 x 24 mm Weight 130g 144g 181g Up to 160 hours Up to 160 hours Up to 160 hours Standby time Talk time Up to 20 hours Up to 20 hours Up to 16 hours Antibacterial provisions _ 1 Multi-line ~ ~ Programmable keys 4 keys 4 keys MicroSD MicroSD MicroSD Memory card for handset settings Personal directory 200 200 200 Central directory ~ ~ ~ OTA software downloads ~ ~ ~ IP-class IP40 IP65 IP65 Charging Charger Dual Dual Dual Multi-charger rack ~ ~ ~ 6 6 6 Handsets per rack Display Screen 1.77" colour 2.0" colour 2.2" colour Resolution 162 x 62 (dots) 240 x320 (dots) 320 x 240px **Call Handling and Audio** Auto answer ~ ~ 1 Calling name display ~ ~ ~ Calling line (CLIP) 24 digits 24 digits 24 digits 50 entries 50 entries 50 entries Call logging CAT-iq - HD audio ~ ~ ~



NEC Australia | nec.com.au

Trembler alarm

NEC DECT IP Wireless Handset Range

Model	G277	G577	G577H	1766
Audio connector	USB-C (Analogue)	USB-C (Analogue)		3.5mm
Bluetooth	-	~		~
Speakerphone	~	✓ (HD Audio)		✓ (HD Audio)
Location and Safety				
RSSI	~	~		~
Beacon	-	-		DLA
Man down alarm	-	-		~
Pull cord alarm	-	-		~
Messaging	-	~		\checkmark
SOS button	-	~		~

~

~



~

For more information:





contactus@nec.com.au



Corporate Headquarters (Japan) NEC Corporation www.nec.com

Australia NEC Australia Pty Ltd www.nec.com.au

North America (USA) NEC Corporation of America . www.necam.com

Asia Pacific (AP) NEC Asia Pacific www.sg.nec.com

Europe (EMEA) NEC Enterprise Solutions www.nec-enterprise.com

v.19.12.12 | DECT IP Wireless Handsets

NEC Australia Pty Ltd reserves the right to change product specifications, functions, or features, at any time, without notice. Please refer to your local NEC representatives for further details. Although all efforts have been made to ensure that the contents are correct, NEC shall not be liable for any direct, indirect, consequential or incidental damages resulting from the use of the equipment, manual or any related materials. The information contained herein is the property of NEC Australia Pty Ltd and shall not be reproduced without prior written approval from NEC Australia Pty Ltd.

©2019 NEC Australia Pty Ltd. All rights reserved. NEC and NEC logo are trademarks or registered trademarks of NEC Corporation that may be registered in Japan and other jurisdictions. All other trademarks are the property of their respective owners. All rights reserved. Printed in Australia. Note: This disclaimer also applies to all related documents previously published.

