

# Infinera Subsystems and Intelligent Coherent Pluggables

Delivering vertically integrated high-performance coherent optical subsystems and pluggables to the communications industry

### Breakthrough Innovation in Multi-discipline Optoelectronics

With our world-class team of scientists and engineers, Infinera has a proven track record of delivering game-changing advanced optical solutions. With an in-house optical semiconductor fab based in Silicon Valley and revolutionary photonic integrated circuits (PICs), Infinera takes innovative solutions from concept to development to production.

Infinera has a long history of industry firsts, including the first large-scale PIC, the first coherent PIC, the first commercial super-channels, the first Nyquist subcarriers, and the first point-to-multipoint coherent technology. Additional innovation highlights include SD-FEC gain sharing, long-codeword probabilistic constellation shaping (LC-PCS), and dynamic bandwidth allocation (DBA).

## Indium Phosphide Compound Semiconductor Fab

At Infinera's optical semiconductor fab located in Sunnyvale, California, our engineers develop and manufacture industry-leading indium phosphide (InP)-based PICs for use in high-capacity optical networking solutions. InP is a compound semiconductor material ideal for optical functions that cannot be addressed by silicon. Infinera's revolutionary PICs integrate tuneable lasers, optical amplifiers, high-speed modulators and detectors, and other functions onto a single chip to deliver leading-edge coherent optical transceivers.



## Advanced Opto-electronics Packaging Facility

Located in Allentown, Pennsylvania, our purpose-built facility supports the clean manufacturing and packaging of our advanced optical engine and fiber optic networking technologies. This facility includes more than 20,000 square feet of Class 10,000 manufacturing and lab space, as well as a Class 100 clean room.

## Infinera Core Disciplines

Our core disciplines include coherent ASIC/DSP design, PIC design and manufacturing, analog ASIC design, advanced packaging design and manufacturing, and holistic co-design, including the radio frequency interconnect. Developing all these component technologies in house, as well as packaging them into the final module in house, ensures that we can deliver industry-leading performance and capabilities in our final products.

#### INFINERA'S PORTFOLIO OF HIGH-PERFORMANCE OPTICAL SUBSYSTEMS

- Advanced Coherent TROSAs an award-winning line of TROSAs based on unique monolithically integrated photonic integrated circuits
- Intelligent Programmable Coherent DSPs – a line of DSPs designed with innovative features, generational interoperability, and leading performance
- Pluggable Coherent Optical Engines

   a highly vertically integrated line
   of coherent pluggable solutions
   with industry-leading performance
   and a unique level of intelligence,
   automation, and programmability





ASIC/DSP Design

Analog Electronics Design





PIC Design

Packaging Design





Holistic Co-design RF Interconnects



PIC Manufacturing

Packaging Manufacturing

## Infinera Subsystems Portfolio

#### **Advanced Coherent TROSAs**

Leveraging our in-house InP fab, Infinera's award-winning line of TROSAs is based on unique monolithically integrated PICs. Unlike other technologies such as silicon photonics and discrete InP functions, Infinera's TROSAs reduce loss between components, provide increased control over optical functions, and enable greater flexibility in component design. The result is a solution with industry-leading physical size, power efficiency, flexibility, and optical performance. Infinera's line of TROSAs has been designed with a modular approach to enable easy integration into any advanced coherent optical engine. The initial set of products includes:

- ICTR32, a configurable TROSA with a nominal baud rate of 32 Gbaud
- ICTR64, a configurable TROSA with a nominal baud rate of 64 Gbaud
- ICTR140, a configurable TROSA with a nominal baud rate of 140 Gbaud

#### Intelligent Programmable Coherent DSPs

Designed with innovative features and leading performance, Infinera's DSPs provide a robust set of capabilities and flexibility to bring unique value to networking solutions. As part of our advanced coherent subsystems offerings, Infinera's line of high-performance DSPs includes the following solutions:

- Wa'a 100<sup>™</sup>, a software-programmable 5-nm complementary metal-oxide semiconductor (CMOS) Open XR Forum-compliant DSP supporting point-to-point and point-to-multipoint applications
- Wa'a 400<sup>™</sup>, a software-programmable 7-nm CMOS Open XR Forum-compliant DSP supporting point-topoint and point-to-multipoint applications
- **Tahoe**<sup>™</sup>, a high-performance 3-nm CMOS 800G-capable DSP optimized for point-to-point applications complying with Open XR Forum, OIF, and Open ROADM specifications

#### **Pluggable Coherent Optical Engines**

Combining Infinera's vertically integrated TROSA and programmable DSPs, our line of ICE-X coherent pluggable solutions is designed to support a diverse set of network applications from regional to metro, DCI, and access, including single-fiber bidirectional configurations and PON overlays. In addition to industry-leading performance, Infinera's ICE-X line of pluggable solutions supports a unique level of intelligence, automation, and programmability to enable network operators to deploy coherent solutions more effectively in a wider variety of networking scenarios without compromising on performance, visibility, or network resiliency.

All products in Infinera's ICE-X portfolio adhere to the open and collaborative approach to the management of pluggable coherent optical engines defined by the Open XR Forum's Management Architecture Specifications.



Infinera ICE-X 400G ZR+ and XR in CFP2 and QSFP-DD coherent pluggables



Infinera ICTR64 TROSA



Infinera Wa'a 400 DSP

The ICE-X portfolio includes the following solutions:

- ICE-X 100G XR, an innovative solution enabling edge-optimized transmission, software configurability from 25 Gb/s to 100 Gb/s, and support for both point-to-point and point-to-multipoint configurations. Enabling 100G transmission in only 25 GHz, ICE-X 100G XR provides twice the capacity per fiber when compared to traditional 100G transport connectivity solutions. ICE-X 100G XR is available in both QSFP-DD and CFP2 form factors.
- ICE-X 400G XR, a high-performance, intelligent, and programmable pluggable solution capable of supporting both point-to-point and point-to-multipoint configurations. ICE-X 400G XR uniquely enables seamless bandwidth upgrades from 25 Gb/s to 400 Gb/s connectivity. ICE-X 400G XR is available in both QSFP-DD and CFP2 form factors.
- ICE-X 400G ZR+, a high-performance, point-to-point-optimized, intelligent, and programmable pluggable with record-setting
  performance capable of supporting 400 Gb/s transmission on approximately 80% of industry fiber routes. ICE-X 400G ZR+ can be
  flexibly configured to support 100/200/300/400 Gb/s-based connectivity. ICE-X 400G ZR+ is available in both QSFP-DD and CFP2
  form factors.
- ICE-X 800G ZR/ZR+, an advanced pluggable solution that leverages the power and efficiencies of 3-nm-based CMOS technology coupled with advanced multi-vendor interoperability, including open probabilistic constellation shaping. ICE-X 800G ZR/ZR+ will provide long-haul-capable performance in a low-power, pluggable form factor, including 800G transmission over 1,000+ km. ICE-X 800G ZR/ZR+ is planned to be available in both QSFP-DD800 and OSFP form factors.

For more information on these or any other Infinera solutions, please contact your Infinera sales representative or visit us at www.infinera.com.

© 2023 Infinera Corporation. All Rights Reserved. Infinera and logos that contain Infinera are trademarks or registered trademarks of Infinera Corporation in the United States and other countries. All other trademarks are the property of their respective owners. Statements herein may contain projections regarding future products, features, or technology and resulting commercial or technical benefits, which are subject to risk and may or may not occur. This publication is subject to change without notice and does not constitute legal obligation to deliver any material, code, or functionality and is not intended to modify or supplement any product specifications or warranties. 0341-BR-RevA-0323

